

# PRODUCT DATA SHEET



## Welding glove

Art no: G-3010



Art no:	G-3010
Size:	6-13
Material:	Goat grain, cow split, Kevlar® thread
Packaging:	12/60
Standard:	EN ISO 21420:2020, EN12477:2001, EN388:2019, EN407:2020
Category:	II



EN12477+A1  
TYPE B

CATEGORY: II



2121X



411X4X



## Properties

Welding glove made from LWG certified goat grain leather, with the upper hand and cuff in cow split. Unlined. The glove is sewn with strong and heat resistant Kevlar® thread with double stitching at exposed areas. Extra reinforcements in both the thumb and the full index finger for longer life. Elastic seam at the wrist for a better and safer fit. Goatskin leather is both thin, supple and durable while the upper hand in cow split provide extra heat resistance.

## Material information

The gloves are sewn in goat grain and cow split leather. Unlined. All seams in Kevlar® thread.

## Technical facts: Intermediate design (category II)

EN388:2016

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional test) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

How to read the pictogram:



a b c d e f

Abrasion resistance  
Cut resistance  
Tear resistance  
Puncture resistance  
Extended cut resistance  
Impact protection (optional)

Soft Touch AB

Postal adress Gamla Alingsåsvägen 24, 433 38 Partille, Sweden

Phone: +46 (0)31-548050 Fax: +46 (0)31-531005 Email: info@softtouch.se Website: www.softtouch.se