

Welding Glove

Art no: G-3010



Art no:	G-3010
Size:	8-11
Materials:	Goatskin, Cow split leather, Kevlar®
Packaging:	12/60
Standard:	EN420, EN388:2016, EN407, EN12477:2001
Category:	II



EN12477+A1
TYPE B



CATEGORY: II

2122X

41214X

Kevlar.

Properties

Welding glove made from goat grain leather, with the upper hand and cuff in cow split. Unlined. The glove is sewn with strong and heat resistant Kevlar® thread with double stitching at exposed areas. Extra reinforcements in both the thumb and the full index finger for longer life. Elastic seam at the wrist for a better and safer fit. Goatskin leather is both thin, supple and durable while the upper hand in cow split provide extra heat resistance.

Material information

The gloves are sewn in Goatskin, Cow split leather, Kevlar®.

Technical facts: Intermediate design (category II)

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional test) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

How to read the pictogram:

EN388:2016



a b c d e f

abrasion resistance
cut resistance
tear resistance
puncture resistance
extended cut resistance
impact protection (optional)