


Hyperguard

Art no: HV-NJ3150



Art no:	HV-NJ3150
Size:	7-12
Materials:	HPPE, Nitrile
Packaging:	12/120
Standard:	EN420, EN388:2016
Category:	II



Properties

Thin and seamless cut resistant glove (Level D) with a high level of cut protection. Reduces the risk of injury when in contact with materials with sharp edges, like glass and tiles. Equipped with a micro foam nitrile coating in the palm and over the fingertips. The glove is abrasion resistant, oil resistant with an excellent grip in dry, wet or oily conditions. Very comfortable glove with great breathability and firm fit.

Material information

Seamless knit cutter glove (Level D). Microfoamad nitrile coating in the inner hand.

Technical facts: Intermediate design (category II)

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional test) P if approved.


Evaluate the importance of each of the properties and how it applies to you as a user.

How to read the pictogram:

EN388:2016



abcdef



Soft Touch AB

Postal adress Gamla Alingsåsvägen 24, 433 38 Partille, Sweden

Phone: +46 (0)31-548050 Fax: +46 (0)31-531005 Email: info@softtouch.se Website: www.softtouch.se