

Rubberex™



CHEMICAL RESISTANT GLOVES

Rubberex™ range 2022

DISPOSABLE GLOVES

NEW

Rubberex™

Gentle Touch Blue

Art no. **RX-50LBB**



Sizes

7/S-10/XL



Light weight disposable gloves in blue nitrile with high flexibility and durability. Silicone and powder free. Ergonomically designed for perfect fit and higher sensitivity. Micro textured finishing for finger-tips and palm for improved grip and control. Approved for food stuff handling. Recommended for individuals with latex protein allergies. Length (mm): 240 +/- 10, Thickness (mm): 0.10 +/- 0.03, Weight (g) per pair: 5.0 +/- 0.2

Areas of use:

Carpentry, Property maintenance, Electrician, Oil, gas & mining, Warehouse, transport & logistics, Agriculture, Chemical, lab, medicine, Electronics, Security & rescue, Plumbing, Food handling, Painting, Road work, Automotive & repair, Recycling & waste, Wood, paper & pulp, Forestry

Properties:



CAT. III
0161



EN374-1 TYPE B
JKT



EN374-5
VIRUS



AQL
1,5%

Art no:	RX-50LBB
Size:	7/S-10/XL
Materials:	Nitrile
Packaging:	S-XL: 1(100 pcs)/10(1000 pcs) XXL: 1(90 pcs)/10(900 pcs)
Standard:	EN420, EN374-1:2016, EN374-5:2016
Category:	III

NEW

Rubberex™

Gentle Touch Black

Art no. **RX-60BLK**



Sizes

7/S-10/XL



Light weight disposable gloves in black nitrile with high flexibility and durability. Silicone and powder free. Ergonomically designed for perfect fit and higher sensitivity. Micro textured finishing for finger-tips and palm for improved grip and control. Approved for food stuff handling. Recommended for individuals with latex protein allergies. Length (mm): 240 +/- 10, Thickness (mm): 0.10 +/- 0.03, Weight (g) per pair: 6.0 +/- 0.2

Areas of use:

Carpentry, Property maintenance, Electrician, Oil, gas & mining, Warehouse, transport & logistics, Agriculture, Chemical, lab, medicine, Electronics, Security & rescue, Plumbing, Food handling, Painting, Road work, Automotive & repair, Recycling & waste, Wood, paper & pulp, Forestry

Properties:



CAT. III
0161



EN374-1 TYPE B
KJTO



EN374-5
VIRUS



AQL
1,5%

Art no:	RX-60BLK
Size:	7/S-10/XL
Materials:	Nitrile
Packaging:	S-XL: 1(100 pcs)/10(1000 pcs) XXL: 1(90 pcs)/10(900 pcs)
Standard:	EN420, EN374-1:2016, EN374-5:2016
Category:	III





NITRILE GLOVES

Rubberex™

Super Nitrile 15

Art no. **RX-RNF15G**



Sizes
7/S-12/3XL

Raised diamond pattern for increased grip



Specially formulated premium grade nitrile



Long model, ca 33 cm



Chemical protection glove in premium grade nitrile rubber with excellent resistance against fats, aromatic and petroleum based solvents. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.40 +/- 0.03

Areas of use:

Chemical, lab, medicine

Art no:	RX-RNF15G
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Properties:



CE CAT. III
0321



EN388:2016
4101X



EN374-1 TYPE A
JKLOPT



EN374-5
VIRUS



Ni Traxx

Art no. **RX-NL15**

Sizes
7/S-12/3XL


Chemical protection glove in nitrile rubber with excellent resistance against oils, fats, aromatic and petroleum based chemicals. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 315 +/- 10, Thickness (mm): 0.38 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4101X

EN374-1 TYPE A
AJKLOT


EN374-5



Super Nitrile 18

Art no. **RX-RNF18**

Sizes
7/S-12/3XL


Chemical protection glove in premium grade nitrile rubber with excellent resistance against oils, fats, aromatic and petroleum based solvents. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.45 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4102X

EN374-1 TYPE A
JKLOPT

EN374-5
VIRUS


Satin Nitrile 28

Art no. **RX-RNU11**

Sizes
7/S-12/3XL


Chemical protection glove in premium grade nitrile rubber with excellent resistance against fats, aromatic and petroleum based chemicals. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Dust free exterior and interior surface. Unlined. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.28 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
3001X

EN374-1 TYPE B
KPT


EN374-5



Art no:	RX-NL15
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Art no:	RX-RNF18
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Art no:	RX-RNU11
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Satin Nitrile 40

Art no. **RX-RNU15**

Sizes
7/S-12/3XL


Chemical protection glove in premium grade nitrile rubber with excellent resistance against fats, aromatic and petroleum based chemicals. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Dust free exterior and interior surface. Unlined. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.40 +/- 0.03

Art no:	RX-RNU15
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4102X

EN374-1 TYPE A
AJKLPT


EN374-5



Nitron 16

Art no. **RX-RNF2016**

Sizes
7/S-11/XXL


Longer chemical protection glove in premium grade nitrile rubber with excellent resistance against fats, aromatic and petroleum based solvents. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 410 +/- 10, Thickness (mm): 0.52 +/- 0.03

Art no:	RX-RNF2016
Size:	7/S-11/XXL
Materials:	Nitrile
Packaging:	3/36
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4101X

EN374-1 TYPE A
AJLOPTK


EN374-5



Green Nitron

Art no. **RX-RNU2218**

Sizes
8/M-11/XXL


Long chemical protection glove in premium grade nitrile rubber with excellent resistance against fats, aromatic and petroleum based solvents. Raised diamond pattern in the palm for increased grip in both wet and oily environments. Unlined. Food handling approved. Silicone free. Length (mm): 450 +/- 10, Thickness (mm): 0.58 +/- 0.03

Art no:	RX-RNU2218
Size:	8/M-11/XXL
Materials:	Nitrile
Packaging:	3/36
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4102X

EN374-1 TYPE A
AJKLOP

EN374-5
VIRUS


Sofie Skin 28

Art no. **RX-SOF11**

Sizes
7/S-12/3XL


Light but still durable chemical protection glove in specially formulated nitrile rubber. Excellent resistance against fats, oils and detergents. Very good grip in both wet and oily environments. Exceptionally comfortable and flexible glove with cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.28 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
1101X

EN374-1 TYPE B
KPT


EN374-5



Art no:	RX-SOF11
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Sofie Skin 38

Art no. **RX-SOF15**

Sizes
7/S-12/3XL


Light but still durable chemical protection glove in specially formulated nitrile rubber. Somewhat thicker giving excellent resistance against fats, oils and detergents. Very good grip in both wet and oily environments. Exceptionally comfortable and flexible glove with cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.38 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:

CAT. III
0321

EN388:2016
4101X

EN374-1 TYPE A
JKLNPT


EN374-5



Art no:	RX-SOF15
Size:	7/S-12/3XL
Materials:	Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

NEOPRENE GLOVES

Rubberex™

Super Neoprene
Art no. **RX-NEO400**




Sizes
7/S-12/3XL

Raised diamond pattern for increased grip



Heavy duty neoprene/latex-compound



Heavy duty chemical protection glove in neoprene rubber for industrial use. Excellent durability and resistance against most solvents, mild acids, fats and oils. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 330 +/- 10, Thickness (mm): 0.68 +/- 0.03

Areas of use:
Chemical, lab, medicine

Art no:	RX-NEO400
Size:	7/S-12/3XL
Materials:	Latex, Polychloroprene
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Properties:



CAT. III
0321



EN388:2016
2111X



EN374-1 TYPE A
BKLOPT



EN374-5
VIRUS



Rubberex™

Super Neoprene 16
Art no. **RX-NEO40016**



Sizes
8/M-11/XXL



Longer heavy duty chemical protection glove in neoprene rubber for industrial use. Excellent durability and resistance against most solvents, mild acids, fats and oils. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 410 +/- 10, Thickness (mm): 0.68 +/- 0.03

Areas of use:
Chemical, lab, medicine

Art no:	RX-NEO40016
Size:	8/M-11/XXL
Materials:	Latex, Polychloroprene
Packaging:	3/36
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Properties:



CAT. III
0321



EN388:2016
3011X



EN374-1 TYPE A
KLMOPT



EN374-5
VIRUS



Rubberex™

Latex Neoprene
Art no. **RX-HD27NEO**



Sizes
7/S-12/3XL



Heavy weight chemical protection glove in specially formulated neoprene/latex rubber compound for industrial use. Surface hardened for greater chemical and abrasion resistance. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 320 +/- 10, Thickness (mm): 0.68 +/- 0.03

Areas of use:
Chemical, lab, medicine

Art no:	RX-HD27NEO
Size:	7/S-12/3XL
Materials:	Latex, Polychloroprene
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Properties:



CAT. III
0321



EN388:2016
2121X



EN374-1 TYPE A
AJKLNT



EN374-5
VIRUS



LATEX GLOVES

Rubberex™

Heveaprene

Art no. RX-HP300



Sizes
7/S-12/3XL



Chemical protection glove in triple layer rubber. Slightly thicker for greater abrasion and chemical resistance, primarily against oils and fats. Excellent grip in both wet and oily conditions. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 320 +/- 10, Thickness (mm): 0.7 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:



CAT. III
0321



EN388:2016
3111X



EN374-1 TYPE A
AKLNPT



EN374-5
VIRUS



Art no:	RX-HP300
Size:	7/S-12/3XL
Materials:	Latex, Neoprene
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Rubberex™

Tri Tec

Art no. RX-BIC200



Sizes
7/S-12/3XL



Chemical protection glove in double layer latex rubber. Slightly thicker for greater abrasion and chemical resistance. Excellent grip in both wet and oily conditions. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 320 +/- 10, Thickness (mm): 0.50 +/- 0.03

Areas of use:

Chemical, lab, medicine

Properties:



CAT. III
0321



EN388:2016
2011X



EN374-1 TYPE B
KPT



EN374-5



Art no:	RX-BIC200
Size:	7/S-12/3XL
Materials:	Latex
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Rubberex™

Superior Grip

Art no. RX-SL1B



Sizes
7/S-11/XXL



Chemical protection glove in specially formulated latex/nitrile rubber compound for better oil and fat resistance. Excellent grip in both wet and oily conditions. Satin lined interior for maximum comfort. Food handling approved. Silicone free. Length (mm): 300 +/- 10, Thickness (mm): 0.50 +/- 0.05

Areas of use:

Chemical, lab, medicine

Properties:



CAT. III
0321



EN388:2016
1011X



EN374-1 TYPE B
KLT



EN374-5
VIRUS



Art no:	RX-SL1B
Size:	7/S-11/XXL
Materials:	Latex, Nitrile
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Multi purpose

Art no. **RX-RF1Y**

Sizes
7/S-10/XL


Chemical protection glove in specially formulated latex rubber with a minimum level of latex proteins. Smooth exterior surface. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 300 +/- 10, Thickness (mm): 0.45 +/- 0.05

Art no:	RX-RF1Y
Size:	7/S-10/XL
Materials:	Latex
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016, EN421:2010
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:


CAT. III
0321

EN388:2016
2000X

EN374-1 TYPE B
KPT


EN374-5



EN421



Multi purpose light

Art no. **RX-VLX1Y**

Sizes
7/S-10/XL


Basic chemical protection glove in latex rubber. Excellent grip in wet conditions. Cotton flocklined interior for comfort. Food handling approved. Silicone free. Length (mm): 300 +/- 10, Thickness (mm): 0.33 +/- 0.05

Art no:	RX-VLX1Y
Size:	7/S-10/XL
Materials:	Latex
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:


CAT. III
0321

EN388:2016
1000X

EN374-1 TYPE C
K


EN374-5



Sensibles

Art no. **RX-UC1**

Sizes
7/S-10/XL


Chemical protection glove in specially formulated latex rubber. Dust free exterior and interior surface. Surface treated. Unlined. Food handling approved. Silicone free. Length (mm): 295 +/- 10, Weight (g): 0.52 +/- 0.02

Art no:	RX-UC1
Size:	7/S-10/XL
Materials:	Latex
Packaging:	12/144
Standard:	EN420:2003, EN388:2016, EN374-1:2016, EN374-5:2016, EN421:2010
Category:	III

Areas of use:

Chemical, lab, medicine

Properties:


CAT. III
0321

EN388:2016
1100X

EN374-1 TYPE B
KPT


EN374-5



EN421







RubberexTM

Available at :

**Company name
Company address
123 45 City
COUNTRY**

**+46 31 12 34 56
www.web-address.com / mail@mailadress.com**