

PRODUCT DATA SHEET



Hydracut B

Art no: HV-SE8237



Art no:	HV-SE8237
Size:	6/XS-12/3XL
Materials:	HPPE/Steel, Polyester/Spandex, Water-based PU
Packaging:	12/120
Standard:	EN ISO 21420:2020, EN388:2016
Category:	II



CATEGORY: II



EN388:2016



3X31B



Properties

Knitted light blue precision glove with cut-resistance (Level B) in polyester/spandex and HPPE reinforced with steel. The glove is extremely thin and flexible with a great fit and exceptional tactile sensitivity. White water-based PU coating for a very good and firm grip. Butadiene and DMF free. The ergonomic design of the glove give advantages such as comfort and less hand fatigue.

Material information

Knitted in 18 gauge HPPE / Steel (cut-resistance level C), polyester/spandex with water-based polyurethane Coating.

Technical facts: Intermediate design (category II)


For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional test) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

How to read the pictogram:

EN388:2016



a b c d e f



Soft Touch AB

Postal adress Gamla Alingsåsvägen 24, 433 38 Partille, Sweden

Phone: +46 (0)31-548050 Fax: +46 (0)31-531005 Email: info@softtouch.se Website: www.softtouch.se