

## Latex Neoprene

Art no: RX-HD27NEO



**Rubberex™**



Art no:	RX-HD27NEO
Size:	S-XXXL
Materials:	Latex, Neoprene
Packaging:	12/144
Standard:	EN420, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III



CATEGORY: III



EN388:2016



2121X

EN374-1  
TYPE A



AJKLNPT

EN374-5



VIRUS



## Properties

Heavy weight chemical protection glove in specially formulated neoprene/ latex rubber compound for industrial use. Surface hardened for greater chemical and abrasion resistance. Cotton flocklined interior for comfort. Food handling approved. Length (mm): 320 +/- 10, Thickness (mm): 0.68 +/- 0.03

## Material information

Length (mm): 320 +/- 10, Thickness (mm): 0.68 +/- 0.03. Materials: Neoprene, Latex Polychloroprene mix

How to read the pictogram:

## Technical facts: Intermediate design (category II)

EN388:2016



a b c d e f

abrasion resistance  
cut resistance  
tear resistance  
puncture resistance  
extended cut resistance  
impact protection (optional)

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

**Soft Touch AB**

Postal adress Gamla Alingsåsvägen 24, 433 38 Partille, Sweden

Phone: +46 (0)31-548050 Fax: +46 (0)31-531005 Email: info@softtouch.se Website: www.softtouch.se