

PRODUCT DATA SHEET



Tri Tec

Art no: RX-BIC200



Rubberex™



Art no:	RX-BIC200
Size:	S-XXXL
Materials:	Latex
Packaging:	12/144
Standard:	EN420, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III



CATEGORY: III



EN388:2016



2011X

EN374-1
TYPE B



KPT

EN374-5



Properties

Chemical protection glove in double layer latex rubber. Slightly thicker for greater abrasion and chemical resistance. Excellent grip in both wet and oily conditions. Cotton flocklined interior for comfort. Food handling approved. Length (mm): 320 +/- 10, Thickness (mm): 0.50 +/- 0.03

Material information

Length (mm): 320 +/- 10, Thickness (mm): 0.50 +/- 0.03. Materials: Polychloroprene, Latex

How to read the pictogram:

Technical facts: Intermediate design (category II)

EN388:2016



a b c d e f

abrasion resistance
cut resistance
tear resistance
puncture resistance
extended cut resistance
impact protection (optional)

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

Soft Touch AB

Postal adress Gamla Alingsåsvägen 24, 433 38 Partille, Sweden

Phone: +46 (0)31-548050 Fax: +46 (0)31-531005 Email: info@softtouch.se Website: www.softtouch.se