

Chemguard

Art no: HV-CKJ800



Art no:	HV-CKJ800
Size:	6/XS-12/3XL
Materials:	Nylon, Nitrile
Packaging:	12/120
Standard:	EN ISO 21420:2020, EN388:2016, EN374-1:2016, EN374-5:2016
Category:	III



Properties

Chemical resistant glove (type B) in extremely thin nylon with superior fit and comfort. Double nitrile coating with the outer layer in a micro foamed nitrile with a good grip in dry, wet and oily conditions. Double nitrile coating over the full thumb for increased durability. Butadiene free. Ergonomical design for lesser hand fatigue and a better user experience.

Material information

18 gauge knitted glove, full layers of smooth nitrile coating and additional microfoamed nitrile in the innerhand.

Technical facts: Intermediate design (category II)

For areas of specific risks, i.e. mechanical risks. These products will have been CE type tested against European EN388:2016 test methods and certified by a notified body. The testing is done for abrasion resistance, cut resistance, tear resistance, puncture resistance, extended cut resistance and impact protection. The maximum score for each level are; abrasion 4, cut resistance 5, tear resistance 4, puncture resistance 4, extended cut resistance F (X if not applicable) and impact protection (optional) P if approved. Evaluate the importance of each of the properties and how it applies to you as a user.

How to read the pictogram:

EN388:2016



a b c d e f

abrasion resistance
cut resistance
tear resistance
puncture resistance
extended cut resistance
impact protection (optional)